

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
11 April 2002 (11.04.2002)

PCT

(10) International Publication Number
WO 02/29612 A1(51) International Patent Classification⁷: G06F 17/20,
G10L 15/14

(21) International Application Number: PCT/CN00/00296

(22) International Filing Date:
30 September 2000 (30.09.2000)

(25) Filing Language: English


(26) Publication Language: English

(71) Applicant (for all designated States except US): INTEL
CORPORATION [US/US]; 2200 Mission College Boul-
vard, Santa Clara, CA 95052 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GUO, Qing
[CN/CN]; 9#306, Dongshengyuan, Haidian District,
Beijing 100082 (CN). YAN, Yonghong [CN/CN]; Apt.
307, Kempinsky Apt. No. 50, Liang Ma Qiao Rd, ChaoYang District, Beijing 100016 (CN). YUAN, Baosheng
[SG/SG]; BLK515, Jurong West Street 52, #08-15, Sin-
gapore 640515 (SG). ZHAO, Qingwei [CN/CN]; Room
205, Building 938, Zhongguancun, Haidian District,
Beijing 100086 (CN). LIN, Zhiwei [SG/SG]; BLK518,
Jurong West, Street 52, #11-149, Singapore 640518 (SG).(74) Agent: CCPIT PATENT AND TRADEMARK LAW
OFFICE; 8th Floor, 2 Fuchengmenwai St., Beijing 100037
(CN).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: METHOD AND SYSTEM FOR GENERATING AND SEARCHING AN OPTIMAL MAXIMUM LIKELIHOOD DE-
CISION TREE FOR HIDDEN MARKOV MODEL (HMM) BASED SPEECH RECOGNITION

(57) Abstract: A method and system for generating and searching an optimal likelihood decision tree for hidden markov model (HMM) based speech recognition are described. Speech signals are received. The received speech signals are processed to generate a plurality of phoneme clusters. The phoneme clusters are grouped into a first cluster node and a second cluster node. A determination is made if a phoneme cluster in the first cluster node is to be moved into the second cluster node based on a likelihood increase of the phone cluster of the first cluster node from being in the first cluster node to being in the second cluster node.



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

Published:

— *with international search report*